



# LUCKY

Design: Scagnellato / Ferrarese / Masiero



Collezione di sedute direzionali moderne e ricercate nei dettagli, disponibili in due versioni di altezza, due varianti di braccioli, una in alluminio lucidato e una in poliuretano integrale nero con top imbottito e due diverse tipologie di basi, sia in alluminio lucidato sia in nylon. La forma elegante e un'eccellente ergonomia la caratterizzano ulteriormente e la rendono molto versatile in ogni tipo di situazione.

*Executive armchairs valued with modern and accurate details, available with two height options, two armrest options: polished die-cast aluminium and black PU with inner metal frame and top padded and upholstered. Two options as well as for 5-stars bases: polished die-cast aluminium or black nylon. The smart and lean design adds a personal style to the armchair, to be used as executive and managerial.*

ALU VERSION




**COD LC001A**

Schienale alto, braccioli in alluminio lucidato con top in PU nero  
*High back, polished die-cast aluminium armrests with black PU top*



**COD LC002B**

Schienale basso, braccioli in alluminio lucidato con top in PU nero  
*Low back, polished die-cast aluminium armrests with black PU top*







## BLACK VERSION



**COD LC011A**  
 Schienale alto, braccioli in PU nero con top  
 imbottito  
*High back, black PU armrests with upholstered  
 top*



**COD LC012B**  
 Schienale basso, braccioli in PU nero con top  
 imbottito  
*Low back, black PU armrests with upholstered  
 top*

## VISITOR VERSION



### COD LC021D

Schienale basso, senza braccioli  
Low back, without armrests




### COD LC003C

Schienale basso, braccioli in alluminio lucidato  
con top in PU nero, base a 4 razze in alluminio  
lucidato  
Low back, polished die-cast aluminium  
armrests with black PU top, polished die-cast  
aluminium 4 star base

# LUCKY

## Dimensioni | Sizes



## Descrizione tecnica | Technical specification

Scocca in multistrato di faggio, pressato e curvato a caldo. Imbottitura in poliuretano espanso tagliato da blocco, ignifugo, con interposta falda di ovatta. Bracciolo in alluminio lucidato con top in PU morbido colore nero. Meccanismo oscillante a fulcro avanzato con funzionamento a pulsante e regolazione della tensione dell'oscillazione tramite pomolo con 7 posizioni di blocco e antishock dello schienale, oscillante centrale e piastra girevole. Base a 5 razze in nylon nero con anello di rinforzo in acciaio e ruote frenate Ø 50 mm o Ø 65 mm oppure in alluminio lucidato e ruote frenate Ø 50 mm o Ø 65 mm. Disponibili anche ruote Ø 65 mm "RING" frenate e gommate. Base a 4 razze in alluminio lucidato con piedini.  
Conforme alla norma UNI EN 1335 tipo C.  
Omologazione ignifuga classe 1IM.

Pressed moulded beech wood multilayer shell. Seat and back padded with fire retardant foam added on top by a layer of soft padding. Polished die-cast aluminium with top in soft black PU or black PU with inner metal frame and top padded and upholstered. Forward pivot tilting mechanism with 7 locking positions, anti shock backrest, tension adjustment by knob. Die-cast tilting mechanism with vertical locked position. Swivel metal plate. Black nylon 5-stars base reinforced with inner metal ring with 50 mm or 65 mm pivoting auto braking black nylon castors, option 5-stars die-cast polished aluminium with 50 mm or 65 mm pivoting auto braking black nylon castors. Four stars die-cast polished aluminium base equipped with gliders.  
Attested according EN 1335 Type C standards